<b>Material Safety Data Sheet</b>	Karizab Company	
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	in the second se
<b>Collection: Chemicals</b>	Name:	C.S.511

## 1- Material specifications and its components

Brand	C.S.511
Synonymous names	Anti- fouling and bio-side material
Chemical family	Combination of benzalkonium chloride

## 2- General information (protection signs)

Toxic	Flammable materials	stimulants	Corrosive material
material			
	No	No	No
	Dangerous for the environment	Explosives	Oxidizing material
		No	No

## 3- Personal protection warnings

Eye contact	It will not cause severe irritation to the eyes, but it necessary to observe safety measures in the use of materials.	
Skin contact	It will not cause severe irritation on the skin, but it is necessary to observe safety measures in the use of materials.	

Material Safety Data Sheet	Karizab Company	
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	in the second se
<b>Collection: Chemicals</b>	Name:	C.S.511


Swallow and eat	Eating and swallowing it will cause severe discomfort in the digestive system.	
Respiration	It will not have severe irritation on breathing, but it is necessary to observe safety measures in the use of materials.	
Fire	This material does not burn.	
Explosion	Not explosive	
Environmental effects	It does not have a negative effect on the life of living beings.	

### 4- First aid

Eye contact	Immediately wash the infected eyes with lukewarm water for at least 15 minutes and keep the eyelids open. If you have a contact lens in your eye, remove it immediately and see a doctor.	
Skin contact	Wash the infected part of the skin with lukewarm water for at least 15 minutes. Remove the clothes or shoes from the infected area and see a doctor.	
Swallow and eat	Never feed an unconscious person. If he is conscious, give him a lot of water and milk. Do not induce vomiting. See a doctor immediately.	
Respiration	Move the person to the fresh air. If he has breathing problems, give him oxygen. If he stops breathing, give him artificial respiration. See a doctor immediately.	
medical information	Refer to other sources.	

Material Safety Data Sheet	Karizab Company	$\wedge$
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	
<b>Collection: Chemicals</b>	Name: C.S.511	

## 5- Extinguishing the fire



## 6- Personal care when working with this material

Skin protection  Use resistant gloves, cl resistant to chemicals.	
Eye protection	Use glasses for chemicals (with rims). In cases where it is possible to spray this material, use a face shield.
Body protection	Gloves, clothes and shoes resistant to chemicals are required in working environments with this material. There must be a water shower and eyewash in the workplace.
Respiratory protection Use cartridge masks.	

## 7- work environment care during the accidental release of the material

Protection of the	Close the leak immediately or stop the leak. Do not allow	
work	unnecessary people to enter the leaking environment until the	
environment	contamination is completely removed. Cleaning the	
	contaminated environment should only be done by trained	
	people. These people must use all the required personal safety	
	equipment. The environment must be equipped with a	
	ventilation system.	

Material Safety Data Sheet	Karizab Company	
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	N. I. S. I.
<b>Collection: Chemicals</b>	Name:	C.S.511

Cleaning	the	Wash the contaminated area with plenty of water.
contaminated		
environment		

## 8- Waste disposal method

Waste disposal of this material	If this ma	aterial	is spill	ed,	collect it	as m	uch as
	possible	and	move	it	outside	the	work
	environm	ent.					

# 9- Handling and storage

Handling precautions	Always make sure that the environmental ventilation of the transport area is adequate. If possible, it should be transported in small packages in a well-ventilated environment. Safety equipment and water shower and eye wash and safety facilities and equipment should be available for emergency use.
Storage conditions	Store in a dry, cool environment away from heat, water and direct sunlight and Other inflammable sources. The environment must be equipped with a proper ventilation system. Tanks should be acid-resistant.
Suitable packaging	Karizab Company delivers C.S materials to its customers in special 20-liter barrels. In case of emptying in other containers, use resistant plastic containers. Note that when containers are not in use, their lids should be closed.

Material Safety Data Sheet	Karizab Company	$\wedge$
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	3.
<b>Collection: Chemicals</b>	Name: C.S.511	

## 10- Physical and chemical characteristics

Physical state	Liquid
Physical form	Semi thick liquid
Color	Colorless and transparent
Smell	Odorless
Acidity- pH	6-7
Water solubility	Can be solved
Upper-lower explosion limit	Not explosive.
Self-ignition temperature	Not flammable.
Flash point	This material does not burn

## 11- Bio-ecological information

General considerations	If left in the soil, it does not decompose
	biologically, but it does penetrate into the
	underground water. Decreasing in the natural
	pH of the environment cause the death of
	living beings.
Behavior in the	It makes the environment unfavorable for
environment	animals.
Effect on the aquatic	This material is harmful due to the change in
environment	the acidity of the water.

Material Safety Data Sheet	Karizab Company	$\wedge$
MSDS-C.S.511	No.57, Moalem st, Shariati ave, Tehran, IRAN	
<b>Collection: Chemicals</b>	Name: <b>C.S.511</b>	

### 12- Stability and interactions

Stability	This material is stable under normal conditions
Avoidance environments	Direct sunlight.

### 13- Transportation regulations

To move this product on the roads inside Iran, the regulations of the Ministry of Roads and Transport and the Traffic Police must be followed.

According to the Karizab company and the technical unit of the Karizab company, the information provided above is the most correct and complete information that is accessible, and Karizab company will not be responsible for any obligation, responsibility or damage due to the use of this information. Consumers should check the appropriateness of this information for their business purposes.



## برگ اطلاعات ایمنی مواد

#### MSDS-C.S.511

مجموعه: مواد شیمیایی نام: C.S.511

#### 1- مشخصات ماده و اجزاء تشكيل دهنده آن

نام تجاری	C.S.511
نامهای مترادف	ماده ضد <i>ر</i> سوب و بایوساید
خانواده شیمیایی	ترکیبی از بنز آلکینیوم کلرید

### 2- اطلاعات عمومی (علائم حفاظتی)

مواد خورنده	مواد محرک	مواد آتش گیر	مواد سمی
نیست	نیست	نیست	
مواد اکسید کننده	مواد منفجر شونده	خطرناک برای محیط زیست	
نیست	نیست		

### 3- هشدارهای حفاظتی شخصی

تحریکات شدید بر روی چشم نخواهد داشت ولیکن رعایت موارد ایمنی در اسـتفاده	ت الحاث	
از مواد الزامي مي باشد.	تماس با چشم	
تحریکات شدید بر روی پوست نخواهــد داشــت ولــیکن رعایــت مــوارد ایمنــی در	"	
استفاده از مواد الزامی می باشد.	تماس با پوست	
خورده شدن و بلعیده شدن آن سبب ناراحتی های شدید دستگاه گوارشــی خواهــد	,,	
شد.	بلعیدن و خو <i>ر</i> دن	
تحریکات شدید بر روی تنفس نخواهد داشت ولیکن رعایت موارد ایمنی در استفاده		
از مواد الزامي مي باشد.	تنفس	
این ماده نمی سوزد	حريق	
قابل انفجار نيست	انفجار	
تاثیر منفی بر زندگی جانداران نمی گذارد.	اثرات زيست محيطى	

#### 4- کمکہای اولیہ

سریعاً چشمهای آلوده را به مدت حداقل 15 دقیقه با آب ولرم		
شستشو داده پلکها باز نگه داشته شوند. در صورت داشتن لنز	تماس با چشم	
در چشم سریعاً آن را خارج کرده به پزشک مراجعه نمایید.		
بخش آلوده پوست را به مدت حداقل 15 دقیقه بــا آب ولــرم	تماس با پوست	
شستشو دهید.	تماس با پوست	
هرگز به فردی که بیهوش است چیــزی نخورانیــد. در صــورت		
هوشیاری مقدار زیادی آب و شیر به او بخورانید فــرد را وادار	بلعیدن و خوردن	
به استفراغ ننمایید. سریعاً به پزشک مراجعه نمایید.		



### شركت كاريزاب

تہران – خ شریعتی – خ معلم شمارہ 57 تلفن: 88413214

### برگ اطلاعات ایمنی مواد

#### MSDS-C.S.511

نام: C.S.511

مجموعه: مواد شیمیایی

به منابع دیگر مراجعه شود	اطلاعات پزشکی	
	ردن آتش	5- خاموش ک
این ماده نمی سوزد	خطر آتش گیری	

### 6- مراقبت های شخصی در زمان کار با ماده

از دستکش لاستیکی مقاوم ، لباس و کفـش مقــاوم در برابر مواد شیمیایی استفاده شود.	حفاظت پوست	
از عینکهای مخصوص مواد شیمیایی (دارای لبه) استفاده شود. در مواردی که امکان پاشیده شدن این ماده باشد از محافظ صورت استفاده شود.	حفاظت چشم	
دستکش ، لباس و کفش مقاوم در برابر مواد شیمیایی در محیط های کار با این ماده الزامــی مــی باشــد. در محل کار باید دوش آب و شیر مخصــوص شستشــوی چشم وجود داشته باشد.	حفاظت بدن	
از ماسکهای معمولی استفاده شود.	حفاظت تنفسى	

#### 7- مراقبت از محیط کار در زمان پخش تصادفی ماده

سریعا محل نشتی را ببندید و یا نشتی را متوقف کنید تا زمانی که آلودگی به طــور	حفاظت محيط كار
کامل برطرف نشده از ورود افراد غیر ضروری به محـیط نشــتی خــودداری کنیــد	
تميز كردن محيط آلوده فقط توسط افراد آموزش ديده انجام شود. اين افراد مي	
باست از کلیه تجهیزات ایمنی فردی مورد نیاز استفاده کنید. محیط حتماً مجهز بــه	
سیستم تہویه باشد.	
محیط آلوده را با آب فراوان شستشو نمایید.	نظافت محيط آلوده

#### 8- روش دفع ضایعات

تا حد ممکن ماده بیرون ریخته را جمع آوری نمایید و به خارج از	دفع ضایعات این ماده
محيط كار منتقل نماييد.	

#### 9- جابجایی و انبارداری

همیشه مطمئن باشید کـه تهویـه محیطـی محـل حمـل و نقــل	
مناسب و کافی است. در صورت امکان به صورت بسـته هــای	
کوچک در محیطی با تهویه مناسب حمل شوند. تجهیزات ایمنی	احتياطات جابجايي
و دوش آب و چشم شوی و امکانــات و تجهیــزات ایمنــی جهــت	
استفاده اضطراری در دسترس باشد.	
در محیط خشک ، خنک و به دور از گرمــا آب و اشــعه مســتقیم	
آفتاب انبار شود. محیط باید مجهز به سیسـتم تهویــه مناســب	شرایط انبار داری
باشد.	



#### شركت كاريزاب

تہران – خ شریعتی – خ معلم شمارہ 57 تلفن: 88413214

### برگ اطلاعات ایمنی مواد

#### **MSDS-C.S.511**

نام: C.S.511

مجموعه: مواد شیمیایی

شرکت کاریزاب مواد سی اس 511 را در بشکه های مخصـوص		
20 لیتری تحویل مشتریان خود می دهد. در صـورت تخلیــه در		
ظروف دیگر از ظروف مقاوم پلاستیکی استفاده شود. در زمانی	بسته بندی مناسب	
که از ظروف استفاده نمی شود درب آنها بسته باشد.		

#### 10- مشخصات فیزیکی و شیمیایی

مايع	حالت فيزيكى
مايع نسبتاً غليظ	شکل فیزیکی
بی رنگ و شفاف	رنگ
بدون بو	بو
7–6	اسیدیته–پیاچ
قابل حل است	حلالیت آب
قابل انفجار نیست	حد انفجار بالا-
	پایین
اشتعال زا نیست	دمای خود آتــش
	گیری
این ماده نمی سوزد	نقطه اشتعال

#### 11- اطلاعات زيست بوم شناختي

در صورت رها شدن در خاک تجزیه بیولوژیکی نشده ولی بــه	
آبهای زیرزمینی نفود نمی کند. با تغییــرات pH طبیعـی محــیط	ملاحظات عمومى
سبب تغییراتی در رشد جانداران می شود.	
محیط زیست را برای جانوران نامساعد می کند	رفتار در محیط زیست
این ماده به واسطه تغییر در pH آب مضر می باشد.	اثر روی محیط آبزیان

#### 12- پایداری و بر هم کنش ها

این ماده تحت شرایط معمولی پایدار می باشد.	پایداری
اشعه مستقيم خورشيد	محیطهای موا <i>ر</i> د
	اجتناب

#### 13- مقررات حمل و نقل

برای جابجایی این محصول در جاده های داخل ایران بایستی مقررات وزارت راه و ترابری و پلیس راه رعایت شود.

به باور شرکت کاریزاب و واحد فنی شرکت کاریزاب مطالب ارائه شـده در بـالا صـحیح تــرین و کامــل تــرین اطلاعاتی است که دسترسی به آن امکان پذیر بوده و هیچ گونه تعهد ، مسئولیت و خسارتی به خاطر استفاده از این اطلاعات به عهده شرکت کاریزاب نخواهد بود. مصرف کنندگان می بایست خود نسبت به مناسب بــودن این اطلاعات برای اهداف کاری خود بررسی لازم را انجام دهند.